

## UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/620,521	07/20/2000	Theodor Abels	964-001183	2919	
7	7590 10/21/2003	EXAMINER			
William H Logsdon			TRAN, DALENA		
Webb Ziesenheim Logsdon Orkin & Handson PC 700 Koppers Building			ART UNIT	PAPER NUMBER	
436 Seventh Avenue			3661		
Pittsburgh, PA 15219-1818			DATE MAILED: 10/21/2003		

14

Please find below and/or attached an Office communication concerning this application or proceeding.

		10				
	Application N .	Applicant(s)				
	09/620,521	ABELS ET AL.				
Office Action Summary	Examiner	Art Unit				
	Dalena Tran	3661				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the	corresp ndence address				
A SHORTENED STATUTORY PERIOD FOR REPLY	/ IS SET TO EXPIRE 3 MONTH	I(S) FROM				
<ul> <li>THE MAILING DATE OF THIS COMMUNICATION.</li> <li>Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.</li> <li>If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period with Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).</li> </ul>	36(a). In no event, however, may a reply be to within the statutory minimum of thirty (30) day and will expire SIX (6) MONTHS from cause the application to become ABANDON	imely filed  sys will be considered timely,  the mailing date of this communication.  ED (35 U.S.C. § 133).				
Status 1)⊠ Responsive to communication(s) filed on <u>23 J</u>	ulv 2003 .					
· · · · · · · · · · · · · · · · · · ·	is action is non-final.					
3) Since this application is in condition for allowa		prosecution as to the merits is				
closed in accordance with the practice under a Disposition of Claims						
4) Claim(s) 1-3,5 and 7-15 is/are pending in the a	application.					
4a) Of the above claim(s) is/are withdraw	vn from consideration.					
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-3,5, and 7-15</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	election requirement.					
Application Papers						
9)☐ The specification is objected to by the Examiner						
10)☐ The drawing(s) filed on is/are: a)☐ accep	ted or b) objected to by the Exa	aminer.				
Applicant may not request that any objection to the						
11) The proposed drawing correction filed on		oved by the Examiner.				
If approved, corrected drawings are required in rep						
12) The oath or declaration is objected to by the Exa	aminer.					
Priority under 35 U.S.C. §§ 119 and 120						
13) Acknowledgment is made of a claim for foreign	priority under 35 U.S.C. § 119(	a)-(d) or (f).				
a) ☐ All b) ☐ Some * c) ☐ None of:						
1. Certified copies of the priority documents	s have been received.					
2. Certified copies of the priority documents	s have been received in Applicat	tion No				
<ul> <li>3. Copies of the certified copies of the prior application from the International But</li> <li>* See the attached detailed Office action for a list of the prior application.</li> </ul>	eau (PCT Rule 17.2(a)).	-				
14) Acknowledgment is made of a claim for domestic	•					
a) ☐ The translation of the foreign language pro  15)☐ Acknowledgment is made of a claim for domesti	visional application has been re	ceived.				
Attachment(s)	5 p 4.1461 66 5.0.0. 33 12	ondror reti				
Notice of References Cited (PTO-892)  Notice of Draftsperson's Patent Drawing Review (PTO-948)  Information Disclosure Statement(s) (PTO-1449) Paper No(s)	5) Notice of Informal	ry (PTO-413) Paper No(s) Patent Application (PTO-152)				



# UNITED STATES DEPARTMENT OF COMMERCE U.S. Patent and Transpark Office Address: COMMISSIONER FOR PATENTS

ss: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450

APPLICATION NO./	FILING DATE	FIRST NAMED INVENTOR /	ATTORNEY DOCKET NO.
CONTROL NO.		PATENT IN REEXAMINATION	

EXAMINER

ART UNIT PAPER

14

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

**Commissioner for Patents** 

Art Unit: 3661

#### **DETAILED ACTION**

#### Notice to Applicant(s)

1. This office action is responsive to the amendment filed on 7/23/03. Claims 1-3,5, and 7-15 are pending.

### Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 1,3,5,7-8, 10-13, and 15 are rejected under 35 U.S.C.103(a) as being unpatentable over Avitan (6,050,770), in view of Ahlbom (4,530,057), and (0637734 A) as the "admitted art".

As per claim 1, Avitan discloses an industrial truck, comprising: a plurality of wheels, a load lifting and a drive system (see column 5, lines 12-57; and column 6, lines 33-67), a stabilizing device configured to prevent tipping of the truck and comprising a plurality of wheel load sensors, each load sensor connected to an individual wheel and configured to measure a wheel load, and a monitoring device, wherein the load sensors are connected to the monitoring device which is configured to control or regulate at least one of the load lifting system and the drive system of the truck based on the wheel load sensor data (see the abstract; and columns 5-6, lines 13-67). Avitan discloses in column 5, lines 64-65, "the load weights at each of the vehicle wheels 30,32,34 have been measured", therefore, it is obvious that this is the load weight of the wheel has been measured by wheel load sensor, and the wheel load sensor is the integrated wheel load sensor (load sensing bearings) because wheel load sensor senses the load on the wheel, and

Art Unit: 3661

it is well known in the art that a wheel bearing with an integrated wheel load sensor (as admitted by applicant, on specification page 3, lines 9-11). Avitan does not disclose a speed of rotation sensor. However, Ahlbom discloses wherein at least two wheels of the truck have a speed of rotation sensor connected to the monitoring device (see column 6, lines 46-58). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the teach of Avitan by combining a speed of rotation sensor for effectively controlling the speed of the wheel to maintain stability for the vehicle.

As per claim 3, Avitan discloses wheel load sensors are provided on all the wheels of truck (see columns 5-6, lines 64-2).

As per claims 5 and 15, Avitan discloses the monitoring device includes an evaluation unit configured to determine at least one of transverse tipping forces, longitudinal tipping forces, tipping moments, and load weight (see the abstract; and columns 9-10, lines 49-8).

As per claim 7, Ahlbom disclose each speed of rotation sensor is integrated into a wheel bearing (see column 6, lines 45-58).

As per claim 8, Avitan discloses the monitoring device includes an evaluation unit configured to measure the speed of the truck (see column 9, lines 3-48).

As per claim 10, Avitan discloses the industrial truck is a counterbalanced fork lift truck (see columns 2-3, lines 66-13).

As per claim 11, Avitan does not discloses two wheels with the speed of rotation sensors are located on the same axle. However, Ahlbom disclose the two wheels with the speed of rotation sensors are located on the same axle (see column 6, lines 45-58). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the teach

Art Unit: 3661

of Avitan by combining speed of rotation sensors are located on the same axle for stabilizing the truck lifting system.

As per claim 12, Avitan discloses the wheel load sensors are provided on all the wheels of the trucks (see columns 5-6, lines 64-2).

4. Claims 2,9, and 14, are rejected under 35 U.S.C.103(a) as being unpatentable over Avitan (6,050,770), Ahlbom (4,530,057), and (0637734 A) as the "admitted art" as applied to claim 1 above, and further in view of Yuki et al. (4,520,443).

As per claim 2, Avitan, and Ahlbom do not disclose the monitoring device is connected with actuator units. However, Yuki et al. disclose the monitoring device is effectively connected with actuator units for at least one of inclination of a lifting mast, adjusting the height of a load, adjusting vehicle speed, adjusting vehicle acceleration, adjusting braking intensity, and adjusting steering angle (see the abstract; and columns 6-7, lines 5-10). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the teach of Avitan, and Ahlbom by combining actuator units for at least one of inclination of a lifting mast, adjusting the height of a load, adjusting vehicle speed, adjusting vehicle acceleration, adjusting braking intensity, and adjusting steering angle for maintaining the vehicle in a stable state in accordance with the load weight and the load height during lifting or transportation of objects.

As per claim 9, Avitan, and Ahlbom do not disclose the monitoring device is connected to a display unit. However, Yuki et al. disclose the monitoring device is connected to a display unit for displaying at least one of a load, a load moment, a truck speed, an acceleration, a turning radius, and tipping forces (see columns 5-6, lines 39-4; and columns 13-14, lines 32-28). It would have been obvious to one of ordinary skill in the art at the time the invention was made to

Art Unit: 3661

modify the teach of Avitan, and Ahlbom by combining a display unit for displaying at least one of a load, a load moment, a truck speed, an acceleration, a turning radius, and tipping forces for helping an operator read a load weight or lifting condition of the truck, so the operator can easily piling and unloading the load at the predetermined position.

As per claim 14, Avitan discloses the monitoring device includes an evaluation unit configured to determine at least one of transverse tipping forces, longitudinal tipping forces, tipping moments, and load weight (see the abstract; and columns 9-10, lines 49-8).

#### Remarks

- 5. Applicant's argument filed on 7/23/03 have been fully considered but they are not deemed to be persuasive.
- 6. Applicant's argument that the sensors 32 in Ahlbom reference are not speed of rotation sensor. However, in review Ahlbom reference, column 6, lines 51-52, "sensors 32 are placed at the unsteered wheels, to sense the rotation of the respective wheels", therefore, Ahlbom reference does disclose speed of rotation sensor.

Examiner maintains that all the references cited meet the language of the claims invention. Therefore, the rejection under 35 U.S.C.103(a) are considered to be proper.

7. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL.** See MPEP 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136 (a).

A shorten statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the

Application/Control Number: 09/620,521 Page 6

Art Unit: 3661

THREE MONTHS shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136 (a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dalena Tran whose telephone number is 703-308-8223. The examiner can normally be reached on M-F (7:30 AM-5:30 PM), off every other Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, William Cuchlinski can be reached on 703-308-3873. The fax phone numbers for the organization where this application or proceeding is assigned are 703-305-7687 for regular communications and 703-305-7687 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-1113.

TAN Q. NGUYEN

/dt October 15, 2003